



Address: VSCHT Praha, Technická 5, 166 28 Prague 6, Czech Republic (tel.: +420 220 443 185; 220443184)

## Test certificate ML 1456/15

Client: **EUPHORIA TRADE s.r.o.**  
 Klimentska 46  
 110 02 Prague  
 Czech republic

Sample received on: 11.08.2015 / by mail  
 Sample description (client's): Euphoria Cannabis Dark Chocolate 100 g  
 Order no.: 03.08.2015

Laboratory code: **ML 1456/15**  
 Product / packaging / quantity: **chocolate / paper wrapping / 100 g**  
 Start / end of analysis: 11.08.2015 – 26.08.2015  
 Test(s) performed by: R. Jandova MSc.  
 Testing methods used: KM21: LC/MS

### TEST RESULTS:

| Analyte                            | Concentration<br>mg/kg | Expanded<br>uncertainty<br>mg/kg | Testing<br>method | Assessment<br>of results** | Limit<br>mg/kg | Specification /<br>Notice |
|------------------------------------|------------------------|----------------------------------|-------------------|----------------------------|----------------|---------------------------|
| THC (delta-9-tetrahydrocannabinol) | 0,003                  | 0,0003                           | KM21              | X                          | -              | -                         |

\* Analyte not quantified at the indicated limit of quantitation (LOQ)

\*\* Compliance with respective limit is marked as C (Compliance), N (Non-compliance) or X (not assessed).

### Specification used for the assessment of test results:

Expanded uncertainty was calculated using coverage factor  $k = 2$  corresponding to a coverage probability of approximately 95%.  
 Uncertainty was calculated and stated according to the EA-4/16 and manual Kvalimetrie 11 (issued by EURACHEM CZ). Uncertainty of sampling is not covered. Compliance is evaluated with respect to the uncertainty of test result according to the Guide ILAC-G8.

The results given herein apply to the submitted sample only. This certificate shall not be reproduced except in full, without written approval of the Laboratory. The certificate does not substitute any other legal document.

Appendix: ---

Date of issue: 27.08.2015

Prof. Dr. Jana Hajšlová  
 Head of the laboratory

Prof. Dr. Vladimír Kocourek  
 Quality manager

*The end of Certificate*